

Weicon GmbH

Revision date: 08.11.2009

Revision no.:

1,00

Easy-Mix Metal Hardener

7619-0043

**1. Identification of the substance/preparation and of the company/undertaking****Identification of the substance or preparation**

Easy-Mix Metal Hardener

**Further trade names**

10652-1

**Use of the substance/preparation**

Hardener

**Company/undertaking identification****Manufacturer**

Weicon GmbH

Königsberger Straße 255

D-48157 Münster

Telephone: +49 (0) 251 9322 - 0

Telefax: +49 (0) 251 9322 - 244

e-mail: info@weicon.de

Internet: www.weicon.de

Responsible for the safety data sheet: sds@gbk-ingelheim.de

**Supplier**

WEICON Inc.

20 Steckle Place, Unit 20

Kitchener, Ontario N2E 2C3

Telephone: 519 896 5252

Telefax: 519 896 5254

e-mail: info@weicon.ca

Emergency telephone number: 0 11 49 178 433 74 34 (CONSULTANK Lutz Harder GmbH)

**2. Hazards identification****Classification**

Not classified as dangerous according to directive 1999/45/EEC

**3. Composition/information on ingredients****Chemical characterization ( Mixture )**

Non-hazardous preparation.

Hardener for a 2-component epoxy adhesive

**Hazardous components**

CAS-No.	Chemical name	Quantity
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	<20 %

**Further Information**

Although this product does not require a hazard warning label, we recommend that the safety advice should be observed.

**4. First aid measures****General information**

Remove contaminated soaked clothing immediately.

**After inhalation**

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

In the event of symptoms refer for medical treatment.

---

**After contact with skin**

Take away immediately by mechanical means.

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

**After contact with eyes**

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**After ingestion**

Do not induce vomiting.

If swallowed by mistake drink plenty of water and seek medical treatment.

**Advice to doctor**

In the event of pulmonary irritation treat initially with dexamethasone metered-dose aerosol.

---

**5. Fire-fighting measures**

**Suitable extinguishing media**

Foam, carbon dioxide (CO<sub>2</sub>), dry chemical, water-spray.

**Extinguishing media which must not be used for safety reasons**

Full water jet

**Special exposure hazards arising from substance or preparation itself, combustion products, resulting gases**

Fire may produce:

Carbon monoxide and carbon dioxide.

Nitrogen oxides (NO<sub>x</sub>)

**Special protective equipment for fire-fighters**

Use breathing apparatus with independent air supply.

**Additional information**

Cool endangered areas with water spray. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

---

**6. Accidental release measures**

**Personal precautions**

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

**Environmental precautions**

Do not discharge into the drains or bodies of water.

Do not discharge into the subsoil/soil.

**Methods for cleaning up/taking up**

Take up with absorbent material.

Shovel into suitable container for disposal.

---

**7. Handling and storage**

**Handling**

**Advice on safe handling**

Ensure adequate ventilation.

Avoid contact with skin, eyes and clothing.

Avoid formation of aerosols.

**Advice on protection against fire and explosion**

Take precautionary measures against static discharges.

**Further information on handling**

Keep in closed original container.

**Storage**

Weicon GmbH

Revision date: 08.11.2009

Revision no.:

1,00

Easy-Mix Metal Hardener

7619-0043

**Requirements for storage rooms and vessels**

Keep containers tightly closed in a cool, well-ventilated place.

**Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

**8. Exposure controls/personal protection****Exposure limit values****Occupational exposure controls**

Ensure adequate ventilation, especially in confined areas.

**Protective and hygiene measures**

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

**Respiratory protection**

Not required under normal use.

If ventilation insufficient, wear respiratory protection.

**Hand protection**

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

**Eye protection**

Tightly fitting goggles

**Skin protection**

Protective clothing

**9. Physical and chemical properties****General information**

Physical state:	Liquid
Colour:	Light yellow
Odour:	Characteristic

**Important health, safety and environmental information**

	Test method
pH-Value (at 20 °C):	n.d.

**Changes in the physical state**

Flash point:	> 100 °C
Density (at 20 °C):	1,18 g/cm <sup>3</sup>
Water solubility: (at 20 °C)	n.d.

**10. Stability and reactivity****Conditions to avoid**

Keep away from heat.

**Materials to avoid**

Reactions with strong acids and alkalies.

Strong oxidizing agents

**Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

Nitrous oxides (NO<sub>x</sub>)

Weicon GmbH

Revision date: 08.11.2009

Revision no.:

1,00

Easy-Mix Metal Hardener

7619-0043

---

Toxic gases/vapours

**Additional information**

No decomposition if stored and applied as directed.

---

**11. Toxicological information**

**Corrosive and irritant effects**

Health injuries are not known or expected under normal use.

**Empirical data on effects on humans**

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

---

**12. Ecological information**

**Further information**

Do not discharge product unmonitored into the environment.

Product is not allowed to be discharged into aquatic environment.

---

**13. Disposal considerations**

**Advice on disposal**

Remove in accordance with local official regulations.

Where possible recycling is preferred to disposal.

Uncontaminated packaging may be treated as household waste.

If recycling is not practicable, dispose of in compliance with local regulations.

**Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

---

**14. Transport information**

**Canadian TDG**

**Proper shipping name**

Not regulated.

**Land transport (ADR/RID)**

**Description of the goods**

No hazardous material as defined by the transport regulations.

**Other applicable information**

No hazardous material as defined by the transport regulations.

---

**15. Regulatory information**

**Canadian regulations**

**DSL/NDSL inventory status**

All of the components are listed on the DSL Inventory.

**WHMIS classification**

WHMIS: Not regulated.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all information required by the CPR.

---

**16. Other information**

**Other data**

Data of sections 4 to 8, as well as 10 to 12, do not necessarily refer to the use and the regular handling of the product (in this sense consult package leaflet and expert information), but to release of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

## Safety Data Sheet according to WHMIS



Weicon GmbH

Revision date: 08.11.2009

Revision no.:

1,00

Easy-Mix Metal Hardener

7619-0043

---

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*