

Weicon GmbH

Revision date: 09.12.2009

Revision no.:

1,00

Fast-Bond Assembly Adhesive

7619-0096

1. Identification of the substance/preparation and of the company/undertaking**Identification of the substance or preparation**

Fast-Bond Assembly Adhesive

Further trade names

13-30

Use of the substance/preparation

Adhesive

Company/undertaking identification**Manufacturer**

Weicon GmbH

Königsberger Straße 255

D-48157 Münster

Telephone: +49 (0) 251 9322 - 0

Telefax: +49 (0) 251 9322 - 244

e-mail: info@weicon.de

Internet: www.weicon.de

Responsible for the safety data sheet: sds@gbk-ingelheim.de

Supplier

WEICON Inc.

20 Steckle Place, Unit 20

Kitchener, Ontario N2E 2C3

Telephone: 519 896 5252

Telefax: 519 896 5254

e-mail: info@weicon.ca

Emergency telephone number: 0 11 49 178 433 74 34 (CONSULTANK Lutz Harder GmbH)

2. Hazards identification**Classification**

Indications of danger : Harmful

R-phrases:

May cause sensitization by inhalation and skin contact.

3. Composition/information on ingredients**Chemical characterization (Mixture)**

1-Component Adhesives and Sealants.

Hazardous components

CAS-No.	Chemical name	Quantity
9016-87-9	Diphenylmethanediisocyanate, isomers and homologues	1-5 %

4. First aid measures**General information**

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

In the event of symptoms refer for medical treatment.

After contact with skin

Wash off immediately with soap and plenty of water.

Consult a doctor if skin irritation persists.

After contact with eyes

Rinse eyes immediately with large amounts of water for several minutes, especially under the eyelids.
Seek medical treatment by eye specialist.

After ingestion

Do not induce vomiting.
Call a physician immediately.

Advice to doctor

The following symptoms may occur: Shortness of breath
In the event of pulmonary irritation treat initially with dexamethasone metered-dose aerosol.

5. Fire-fighting measures

Suitable extinguishing media

Fire-extinguishing activities according to surrounding.
Foam, carbon dioxide (CO₂), dry chemical, water-spray.

Special exposure hazards arising from substance or preparation itself, combustion products, resulting gases

Fire may produce:

Carbon monoxide (CO)
Carbon dioxide (CO₂)
Hydrogen chloride (HCl)

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

6. Accidental release measures

Personal precautions

Remove persons to safety.
Ensure adequate ventilation.
Keep away sources of ignition.

Environmental precautions

Clean contaminated surface thoroughly.
Do not discharge into the drains or bodies of water.

Methods for cleaning up/taking up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).
Shovel into suitable container for disposal.

7. Handling and storage

Handling

Advice on safe handling

Use only in thoroughly ventilated areas.
Avoid contact with skin, eyes and clothing.
Keep in closed original container.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Open and handle container with care.

Storage

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Weicon GmbH

Revision date: 09.12.2009

Revision no.:

1,00

Fast-Bond Assembly Adhesive

7619-0096

Further information on storage conditions

Storage stability 12 months maximum.

Storageclass (VCI): 13

8. Exposure controls/personal protection**Exposure limit values****Occupational exposure controls**

Ensure adequate ventilation, especially in confined areas.

Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

Use barrier skin cream.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

Respiratory protection

Use suitable breathing apparatus if there is inadequate ventilation.

Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, Minimum coat thickness 0.6 mm, Permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Eye protection

Safety goggles

Skin protection

Protective clothing

9. Physical and chemical properties**General information**

Physical state: Pasty
 Colour: Various, depending on coloration
 Odour: Characteristic

Important health, safety and environmental information

	Test method
pH-Value:	n.d.

Changes in the physical state

Flash point:	n.d.
Density (at 20 °C):	n.d.
Water solubility: (at 20 °C)	More or less insoluble
Solubility in other solvents:	Soluble in most of organic solvents

10. Stability and reactivity**Conditions to avoid**

Keep away from heat and sources of ignition.

Weicon GmbH

Revision date: 09.12.2009

Revision no.:

1,00

Fast-Bond Assembly Adhesive

7619-0096

Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Hydrogen chloride (HCl)

Additional information

No decomposition if stored and applied as directed.

11. Toxicological information**Acute toxicity**

LD50/oral >1000 mg/kg Rat (male)

LD50/dermal >5000 mg/kg Rabbit

Sensitizing effects

Sensitization skin: Sensitizing

Sensitization through skin contact possible.

Sensitization through inhalation possible.

Long-term skin contact with vapours may cause skin irritation or sensitization.

12. Ecological information**Further information**

Ecological data are not available.

Do not discharge product unmonitored into the environment.

13. Disposal considerations**Advice on disposal**

Remove in accordance with local official regulations.

In accordance with regulations for special waste, must be taken, after pretreatment, to an authorised special waste incineration plant.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packagings are to be treated like the product itself.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

14. Transport information**Canadian TDG****Proper shipping name**

Not regulated.

Land transport (ADR/RID)**Description of the goods**

No hazardous material as defined by the transport regulations.

Other applicable information

No hazardous material as defined by the transport regulations.

15. Regulatory information**Canadian regulations****DSL/NDSL inventory status**

All of the components are listed on the DSL Inventory.

WHMIS classification

WHMIS: D2A & D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all information required by the CPR.

Weicon GmbH

Revision date: 09.12.2009

Revision no.:

1,00

Fast-Bond Assembly Adhesive

7619-0096

16. Other information

Other data

Data of sections 4 to 8, as well as 10 to 12, do not necessarily refer to the use and the regular handling of the product (in this sense consult package leaflet and expert information), but to release of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)