

Weicon GmbH

Revision date: 23.12.2009

Revision no.:

1,00

Leak Detection Spray

7619-0106

1. Identification of the substance/preparation and of the company/undertaking**Identification of the substance or preparation**

Leak Detection Spray

Further trade names

11651

Use of the substance/preparation

Technical aerosol.

Company/undertaking identification**Manufacturer**

Weicon GmbH

Königsberger Straße 255

D-48157 Münster

Telephone: +49 (0) 251 9322 - 0

Telefax: +49 (0) 251 9322 - 244

e-mail: info@weicon.de

Internet: www.weicon.de

Responsible for the safety data sheet: sds@gbk-ingelheim.de

Supplier

WEICON Inc.

20 Steckle Place, Unit 20

Kitchener, Ontario N2E 2C3

Telephone: 519 896 5252

Telefax: 519 896 5254

e-mail: info@weicon.ca

Emergency telephone number: 0 11 49 178 433 74 34 (CONSULTANK Lutz Harder GmbH)

2. Hazards identification**3. Composition/information on ingredients****Chemical characterization (Mixture)**

Aérosol

Aqueous surfactants solution (without solvents)

Hazardous components

CAS-No.	Chemical name	Quantity
10024-97-2	Dinitrogen oxide	<=2.5 %

Further Information

Under pressure

4. First aid measures**General information**

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours.

In the event of symptoms refer for medical treatment.

After contact with skin

Wash off immediately and for a long time with plenty of water.

Consult a physician.

After contact with eyes

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Consult (eye) doctor immediately.

After ingestion

Summon a doctor immediately.

Do not induce vomiting.

Advice to doctor

Treat symptoms.

5. Fire-fighting measures

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Special exposure hazards arising from substance or preparation itself, combustion products, resulting gases

Fire may produce:

Carbon monoxide and carbon dioxide.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit.

Additional information

Cool containers at risk with water spray jet.

Heating will cause pressure rise with risk of bursting.

6. Accidental release measures

Personal precautions

Ensure adequate ventilation.

Methods for cleaning up/taking up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

Shovel into suitable container for disposal.

Additional information

Clean contaminated surface thoroughly.

7. Handling and storage

Handling

Advice on safe handling

Keep only in original container.

Advice on protection against fire and explosion

No special protective measures against fire required.

The product is not combustible.

Further information on handling

Protect compressed gas-bottles from falling down.

Storage

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Store only in original container at temperature of 50°C maximum (=122°F).

Protect from heat and direct solar radiation.

Protect from heat/overheating.

Storage stability 12 months maximum.

Further information on storage conditions

At storing temperature below 40°C unlimited stability.

8. Exposure controls/personal protection

Exposure limit values

Weicon GmbH

Revision date: 23.12.2009

Revision no.:

1,00

Leak Detection Spray

7619-0106

Exposure limits (ACGIH)

CAS No.	Substance	ppm	mg/m ³	F/ml	Category	Origin
10024-97-2	Nitrous oxide	50	90		TWA (8 h)	TLV
		-	-		STEL (15 min)	TLV
		-	-		Peak	TLV

Occupational exposure controls

Handle in accordance with good industrial hygiene and safety practices.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Avoid contact with skin, eyes and clothing.

Respiratory protection

Not required under normal use.

Hand protection

Not required under normal use.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Eye protection

Tightly fitting goggles

Skin protection

Light protective clothing

9. Physical and chemical properties**General information**

Physical state: Aerosol
 Colour: Colourless
 Odour: Hardly noticeable

Important health, safety and environmental information

pH-Value (at 20 °C):

6 - 7,5

Test method

Changes in the physical state

Flash point:

n.a.

Lower explosion limits:

n.a.

Upper explosion limits:

Vapour pressure:
(at 20 °C)

6000-6500 hPa

Density (at 20 °C):

0,99-1,01 g/cm³

Water solubility:
(at 20 °C)

Multimiscible

Solvent content

0,04%

Other information

Ignition temperature:

n.d.

10. Stability and reactivity**Conditions to avoid**

Avoid temperatures above 50°C.

To avoid thermal decomposition, do not overheat.

Weicon GmbH

Revision date: 23.12.2009

Revision no.:

1,00

Leak Detection Spray

7619-0106

Materials to avoid

None under normal use.

Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Additional information

No decomposition if stored and applied as directed.

11. Toxicological information**Acute toxicity**

No toxicological data available.

Corrosive and irritant effects

Eye irritation :Low irritant - no labeling duty

12. Ecological information**Ecotoxicity**

Ecological dates are not available.

Persistence and degradability

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely.

Further information

Product does not contain any organic bound halogens which could lead to AOX-values.

13. Disposal considerations**Advice on disposal**

Where possible recycling is preferred to disposal.

Remove in accordance with local official regulations.

If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging

Re-using the polluted packaging materials is not allowed.

Contaminated packagings are to be treated like the product itself.

14. Transport information**Canadian TDG****Proper shipping name**

AEROSOLS

UN/ID number: UN1950

Hazard classes: 2.2

Packing group: -

Hazard label: 2.2

Land transport (ADR/RID)

UN number: 1950

ADR/RID class: 2

Classification Code: 5A

Warning plate

Hazard label: 2.2



ADR/RID packing group: -

Limited quantity: LQ2

Weicon GmbH

Revision date: 23.12.2009

Revision no.:

1,00

Leak Detection Spray

7619-0106

Description of the goods

AEROSOLS

Other applicable information (land transport)

LQ 2: combination packaging: 1 l / 30 kg (total gross mass); trays: 1 l / 20 kg (total gross mass).

Tunnel restriction code: E

Transport category: 3

Marine transport

UN number: 1950

IMDG code: 2

Marine pollutant: No

Hazard label: 2.2



IMDG packing group: -

EmS: F-D, S-U

Limited quantity: 1 L / 30 kg

Description of the goods

AEROSOLS

Air transport

UN/ID number: 1950

ICAO/IATA-DGR: 2.2

Hazard label: 2.2



ICAO packing group: -

Limited quantity Passenger: Y203 / 30 kg G

IATA-packing instructions - Passenger: 203

IATA-max. quantity - Passenger: 75 kg

IATA-packing instructions - Cargo: 203

IATA-max. quantity - Cargo: 150 kg

Description of the goods

AEROSOLS

15. Regulatory information**Canadian regulations****DSL/NDSL inventory status**

All of the components are listed on the DSL Inventory.

WHMIS classification

WHMIS: Class A

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all information required by the CPR.

16. Other information**Other data**

Data of sections 4 to 8, as well as 10 to 12, do not necessarily refer to the use and the regular handling of the product (in this sense consult package leaflet and expert information), but to release of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge.

Safety Data Sheet according to WHMIS



Weicon GmbH

Revision date: 23.12.2009

Revision no.:

1,00

Leak Detection Spray

7619-0106

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

"(n.a. = not applicable; n.d. = not determined)"

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)