



1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Name of product Plastic-Metal BR Hardener (GB)
Code-Nr. 104202

Manufacturer/distributor

WEICON GmbH & Co. KG
Königsberger Straße 255, DE-48157 Münster
Postbox 84 60, DE-48045 Münster
Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322-244
E-Mail : info@weicon.de
Internet : www.weicon.de

Advice

Abteilung Angebote, Verkauf, Export
Phone ++49(0)251 / 9322 - 0

Emergency advice

Giftnotruf Bonn: Bei Vergiftungen (in case of poisoning)
Phone ++49(0)228-19 240

Recommended intended purpose(s)

2-Component Epoxy Resin - Hardener Component

2. Hazards identification

Classification according to 67/548/EEC or 1999/45/EC

C; R34

R43

N; R51/53

R-phrases

34 Causes burns.
43 May cause sensitisation by skin contact.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Labelling according to 67/548/EEC or 1999/45/EC

Remarks for labelling

The product is classified and labelled in accordance with EC directives/German regulations on dangerous substances.

C Corrosive
N Dangerous for the environment

R-phrases

34 Causes burns.
43 May cause sensitisation by skin contact.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases

2 Keep out of the reach of children.
23 Do not breathe vapour.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).



Hazardous ingredients for labeling

3,6,9,12-tetra-azatetradecamethylenediamine, FATTY ACIDS, C18-UNSATD., DIMERS, REACTION PRODUCTS WITH POLYETHYLENEPOLYAMINES

3. Composition/information on ingredients

Description

Hardener for a 2-component epoxy adhesive (formulated polyaminoamide containing 3-aminopropyl dimethylamine).

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
4067-16-7	223-775-9	3,6,9,12-tetra-azatetradecamethylenediamine	1 - 10	C R34; R43; N R50-53
68410-23-1		Polyaminoamid; FATTY ACIDS, C18-UNSATD., DIMERS, REACTION PRODUCTS WITH POLYETHYLENEPOLYAMINES	10 - 30	Xi R43

4. First aid measures

General information

Remove contaminated soaked clothing immediately and dispose it safely.

In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with soap and water.

Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Seek medical advice immediately.

In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

If swallowed by mistake drink plenty of water and seek medical treatment.

5. Firefighting measures

Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Extinguishing media which must not be used for safety reasons

Full water jet

Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.

Nitrogen oxides (NOx)

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.



Additional information

Cool endangered containers with water spray jet.
Collect contaminated firefighting water separately, must not be discharged into the drains.

6. Accidental release measures

Personal precautions

Ensure adequate ventilation.
Use personal protective clothing.
Use breathing apparatus if exposed to vapours/dust/aerosol.

Environmental precautions

Inform pollution control authorities if product gets into the sewerage systems or open waters.
Do not discharge into the drains/surface waters/groundwater.
Do not discharge into the subsoil/soil.

Methods for cleaning up

Take up with absorbent material.
After taking up the material dispose according to regulation.

7. Handling and storage

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

Requirements for storage rooms and vessels

Keep in closed original container.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.
Protect from direct solar radiation.

8. Exposure controls/personal protection

Additional advice on system design

Sufficient ventilation and exhaustion.

Respiratory protection

If ventilation insufficient, wear respiratory protection.
Multi-purpose filter ABEK

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.
Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.
Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: butyl rubber, 0,7mm; 480min

Eye protection

tightly fitting goggles

Skin protection

protective clothing

General protective measures

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke.
Wash hands before breaks and after work.



9. Physical and chemical properties

Form
pasty

Colour
light grey

Odour
characteristic

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
Flash point	> 100 °C				
Density	not determined	20 °C			

10. Stability and reactivity

Conditions to avoid

Keep away from heat.

Materials to avoid

Reactions with strong acids.
Reactions with strong oxidising agents.

Hazardous decomposition products

Carbon monoxide and carbon dioxide.
Nitrous oxides (NO_x)
Toxic gases/vapours

Thermal decomposition

Remark No decomposition if used as directed.

11. Toxicological information

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
Irritability skin	corrosive	rabbit		
Irritability eye	corrosive	rabbit eye		
Skin sensitization	sensitizing	Guinea pig		

Experiences made from practice

Sensitization through skin contact possible.

Additional information

Labelling in compliance with the assessment procedure specified in the EC guidelines 1999/45/EC.

12. Ecological information

General regulation

Ecological dates are not available.
Do not allow uncontrolled leakage of product into the environment.
Product is not allowed to be discharged into aquatic environment.



13. Disposal considerations

Recommendations for the product

Remove in accordance with local official regulations.

There are no harmonised regulations on the disposal of chemicals in the member states of the EU. In Germany, the Recycling and Waste Management Act 8 KrW-/AbfG) stipulates recycling as a requirement.

Recommendations for packaging

Dispose of according to the local waste regulations.

Packaging that cannot be cleaned should be disposed of like the product.

14. Transport information

Land and inland navigation transport ADR/RID

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (3,6,9,12-Tetraazatetradecan-1,14-diamin, Polyaminoamide Mischung), 8, III, (E), Classification code: C7

Marine transport IMDG

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (3,6,9,12-tetra-azatetradecamethylenediamine, Polyaminoamide mixture), 8, III, MARINE POLLUTANT

Air transport ICAO/IATA-DGR

UN 2735 Amines, liquid, corrosive, n.o.s. (3,6,9,12-tetra-azatetradecamethylenediamine, Polyaminoamide mixture), 8, III

Transport/further information

24h EMERGENCY CONTACT (TRANSPORT) +49(0)178 433 7434 (Consultank Lutz Harder GmbH)

15. Regulatory information

16. Other information

Recommend uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.